

Data Sources:

Multiple Cause of Death (MCOD) Files, 2009-2013, National Center for Health Statistics. The MCOD file is a census of all deaths in the U.S. and some territories. Five years data were combined to compute stable rates. Nevertheless, for some specific causes and in small states and territories, the cumulative number of deaths are less than ten and could not be reported. The counts presented in this fact sheet were generated from an analysis of the raw data files by the CSN Economics and Data Analysis Resource Center (EDARC).

State Inpatient Databases (SID), 2012, Healthcare Utilization Project, Agency for Healthcare Research and Quality (AHRQ). The AHRQ sponsors a Federal-State-Industry partnership, known as HCUP, which includes the largest collection of health care databases and associated software and products in the country, including the SID, from collaborating states. The SID is a census of hospital discharge data compiled from, currently, 46 states. The counts presented in this fact sheet were generated from an analysis of the raw data files by the CSN EDARC. Counts exclude patients dead at the time of discharge, chronic/overuse injuries, and/or injuries treated at hospitals that do not meet the American Hospital Association's (AHA) criteria of a short-term community hospital. To prevent double-counting, readmission cases, transfers, and medical misadventures were excluded. All counts based on the patients' state of residence. To find out more about the SID and HCUP, please visit <http://www.hcup-us.ahrq.gov/sidoverview.jsp>.

Fatal Analysis Reporting System (FARS), 2009-2013, National Highway Traffic Safety Administration. The FARS is a census of all motor vehicle-related crashes involving one or more fatalities. FARS provides data on all vehicles involved in fatal crashes, including driver information. Five years data were combined to compute stable rates. Like the MCOD, some states and the territories had fewer than 10 deaths and could not be reported. The counts presented in this data sheet were generated from an analysis of the raw data files by the CSN EDARC.

Population statistics (Ages 0 - 24 years): United States Department of Health and Human Services (US DHHS), Centers for Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS), Bridged-Race Population Estimates, United States July 1st resident population by state. Retrieved from: <http://wonder.cdc.gov/bridged-race-v2013.html>.

Note regarding small numbers of cases: In compliance with the privacy standards recommended by the National Center for Health Statistics and in order to avoid inadvertent disclosure of individual cases, no figure, including totals, is less than 10 in tabulations for sub-national geographic areas, regardless of the number of years combined. Instead, the symbol "*" is used to denote less than 10 cases.

Suggested reference: Children's Safety Network State Fact Sheets, Children's Safety Network Economics and Data Analysis Resource Center (CSN EDARC), at the Pacific Institute for Research and Evaluation (PIRE), Calverton, MD, April, 2016.

Hospital-Admitted Injuries, Age 0-9, 2012 New Mexico

**Table 1a: Incidence and Rates (per 100,000) of Hospital-Admitted Injuries
by Intent, Mechanism, and Age Group, 2012**

Intent/Mechanism							Ages 0 - 9	
	Age <1	Rate	Age 1-4	Rate	Age 5-9	Rate	Total	Rate
Total Incidence	125	460.1	221	193.4	212	146.9	558	195.3
Unintentional	76	279.7	190	166.3	187	129.6	453	158.5
Cut/Pierce	0	0.0	****	****	****	****	****	****
Drowning	0	0.0	****	****	****	****	****	****
Fall	23	84.7	44	38.5	81	56.1	148	51.8
Fire/Burn	****	****	24	21.0	****	****	40	14.0
Fire/Flame	****	****	****	****	****	****	****	****
Hot Object/Substance	****	****	23	20.1	****	****	37	12.9
Firearm	0	0.0	0	0.0	****	****	****	****
Machinery	0	0.0	0	0.0	****	****	****	****
Motor Vehicle Traffic	****	****	18	15.8	24	16.6	****	****
Occupant	****	****	15	13.1	15	10.4	****	****
Motorcyclist	0	0.0	0	0.0	****	****	****	****
Pedal Cyclist	0	0.0	0	0.0	****	****	****	****
Pedestrian	0	0.0	****	****	****	****	****	****
Unspecified	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0
Pedal Cyclist, Other	0	0.0	0	0.0	****	****	****	****
Pedestrian, Other	0	0.0	****	****	****	****	****	****
Transport, Other	0	0.0	****	****	****	****	11	3.8
Bites and Stings	****	****	21	18.4	13	9.0	****	****
Other Natural/Environmental	****	****	****	****	****	****	16	5.6
Overexertion	0	0.0	****	****	****	****	****	****
Poisoning	12	44.2	39	34.1	12	8.3	63	22.0
Struck By/Against	****	****	****	****	****	****	21	7.3
Suffocation	****	****	****	****	****	****	16	5.6
Other	****	****	****	****	****	****	14	4.9
Self-Inflicted	22	81.0	****	****	****	****	29	10.1
Cut/Pierce	0	0.0	0	0.0	****	****	****	****
Firearm	0	0.0	0	0.0	0	0.0	0	0.0
Poisoning	22	81.0	****	****	****	****	28	9.8
Suffocation	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0
Assault	****	****	****	****	0	0.0	****	****
Cut/Pierce	0	0.0	0	0.0	0	0.0	0	0.0
Firearm	0	0.0	0	0.0	0	0.0	0	0.0
Struck By/Against	0	0.0	0	0.0	0	0.0	0	0.0
Other	****	****	****	****	0	0.0	****	****
Undetermined	11	40.5	****	****	****	****	15	5.2
Poisoning	11	40.5	0	0.0	****	****	****	****
Other	0	0.0	****	****	0	0.0	****	****
Legal/Military	0	0.0	0	0.0	0	0.0	0	0.0
Unspecified	****	****	24	21.0	20	13.9	****	****

Note: **** = cell value ranges from 1-10. Row and column totals in bold reflect the actual totals for a given incidence category. Row and column totals not in bold include a value of "****" and do not necessarily reflect the actual total for that row or column. Totals may not add due to rounding and/or cases with missing age data. Population counts from the U.S. Bureau of the Census.

Data Source: 2012 New Mexico State Inpatient Databases (SID), Healthcare Cost and Utilization Project (HCUP), Agency for Healthcare Research and Quality (AHRQ).

Hospital-Admitted Injuries, Age 10-19, 2012 New Mexico

**Table 1b: Incidence and Rates (per 100,000) of Hospital-Admitted Injuries
by Intent, Mechanism, and Age Group, 2012**

Intent/Mechanism	Age 10-14		Age 15-19		Ages 10-19	
	Age 10-14	Rate	Age 15-19	Rate	Total	Rate
Total Incidence	249	175.0	564	394.4	813	285.0
Unintentional	166	116.7	304	212.6	470	164.8
Cut/Pierce	****	****	****	****	12	4.2
Drowning	0	0.0	0	0.0	0	0.0
Fall	46	32.3	65	45.5	111	38.9
Fire/Burn	****	****	****	****	11	3.9
<i>Fire/Flame</i>	0	0.0	****	****	****	****
<i>Hot Object/Substance</i>	****	****	****	****	****	****
Firearm	****	****	****	****	****	****
Machinery	0	0.0	****	****	****	****
Motor Vehicle Traffic	29	20.4	116	81.1	145	50.8
<i>Occupant</i>	17	11.9	78	54.5	95	33.3
<i>Motorcyclist</i>	****	****	14	9.8	****	****
<i>Pedal Cyclist</i>	****	****	****	****	****	****
<i>Pedestrian</i>	****	****	12	8.4	****	****
<i>Unspecified</i>	0	0.0	****	****	****	****
<i>Other</i>	0	0.0	****	****	****	****
Pedal Cyclist, Other	15	10.5	****	****	****	****
Pedestrian, Other	0	0.0	****	****	****	****
Transport, Other	27	19.0	27	18.9	54	18.9
Bites and Stings	****	****	****	****	15	5.3
Other Natural/Environmental	****	****	****	****	****	****
Overexertion	****	****	****	****	11	3.9
Poisoning	****	****	23	16.1	****	****
Struck By/Against	17	11.9	15	10.5	32	11.2
Suffocation	****	****	****	****	****	****
Other	****	****	****	****	13	4.6
Self-Inflicted	33	23.2	132	92.3	165	57.8
Cut/Pierce	****	****	20	14.0	****	****
Firearm	0	0.0	****	****	****	****
Poisoning	30	21.1	101	70.6	131	45.9
Suffocation	****	****	****	****	****	****
Other	0	0.0	****	****	****	****
Assault	****	****	35	24.5	****	****
Cut/Pierce	0	0.0	11	7.7	11	3.9
Firearm	****	****	11	7.7	****	****
Struck By/Against	****	****	13	9.1	****	****
Other	****	****	0	0.0	****	****
Undetermined	****	****	11	7.7	****	****
Poisoning	****	****	11	7.7	****	****
Other	0	0.0	0	0.0	0	0.0
Legal/Military	0	0.0	****	****	****	****
Unspecified	41	28.8	80	55.9	121	42.4

Note: **** = cell value ranges from 1-10. Row and column totals in bold reflect the actual totals for a given incidence category. Row and column totals not in bold include a value of "****" and do not necessarily reflect the actual total for that row or column. Totals may not add due to rounding and/or cases with missing age data. Population counts from the U.S. Bureau of the Census.

Data Source: 2012 New Mexico State Inpatient Databases (SID), Healthcare Cost and Utilization Project (HCUP), Agency for Healthcare Research and Quality (AHRQ).

Leading Causes of Injury Deaths, Age 0-24, 2009-2013 New Mexico

Table 2: Leading Causes and Total 5-Year Incidence of Injury Deaths by Age Group, New Mexico, 2009-2013

Age Groups							
Rank	<1	1 - 4		5 - 9	10 - 14	15 - 19	20 - 24
1	Suffocation 31	MVT 44		MVT 14	MVT 20	MVT 130	MVT 198
2	Homicide 12	Homicide 20		Homicide ****	Suicide 18	Suicide 128	Suicide 183
3	Drowning ****	Drowning 12		Drowning ****	Homicide ****	Homicide 65	Poisoning 176
4	MVT ****	Suffocation ****	Pedestrian, other ****	*Four Tied ****	Drowning ****	Poisoning 53	Homicide 104
5		Fire/ Burn ****	Suffocation ****	*Five Tied ****	Poisoning ****	Drowning 11	Fall 10

Note: All mechanisms of suicide and homicide were combined according to intent. Each listed mechanism is unintentional except those otherwise noted. **** = indicates that the cell values range from 1-9 and are suppressed for data confidentiality purposes. *For age <1, four mechanisms were tied for the third ranking including MVT, Other transport, Poisoning, and Other specific and classifiable. **For age 1-4, three mechanisms were tied for the fourth ranking including Drowning, Pedestrian, other, and Other transport. ^For age 5-9, three mechanisms were tied for the fourth ranking including Other transport, Homicide, and Undetermined Suffocation. Each of these mechanisms had fewer than 10 deaths.

Data Source: New Mexico Multiple Cause of Death File (MCOF), 2009-2013, National Center for Health Statistics.

Leading Causes of Hospital-Admitted Injuries, Age 0-24, 2012 New Mexico

Table 3: Leading Causes and Annual Incidence of Hospital-Admitted Injuries by Age Group, New Mexico, 2012

Rank	Age Groups					
	<1	1 - 4	5 - 9	10 - 14	15 - 19	20 - 24
1	Fall 23	Fall 44	Fall 81	Fall 46	Self-Inflicted 138	Self-Inflicted 196
2	Self-Inflicted 22	Poisoning 39	MVT 24	Unspecified 41	MVT 116	MVT 156
3	Unintentional Unspecified 18	Unspecified 24	Unspecified 20	Self-Inflicted 34	Unspecified 81	Assault 104
4	Assault 16	Hot object/ substance 23	Missing 19	MVT 29	Fall 65	Unspecified 103
5	Poisoning 12	Bites and stings 21	Bites and stings 13	Transport, other 27	Assault 50	Fall 71

Note: All mechanisms of assault and self-inflicted injury and were combined according to intent. Each listed mechanism is unintentional except those labeled "Unspecified" or otherwise noted. MVT = Motor Vehicle Traffic. NEC = Not Elsewhere Classifiable. Spec = Specified. Nat/Env = Natural/Environmental. * = cell values that range from 1-10 were suppressed for data confidentiality purposes. †For ages < 1, six mechanisms were tied for the third ranking including Fall, Hot Object/Substance, Other Natural/Environmental, Suffocation, Other Spec & Classifiable, and Other Specified, NEC. ††For ages <5-9, four mechanisms were tied for the fourth ranking including Pedal Cyclist, Other; Other Natural/Env; Unintentional Unspecified; and Unspecified. †††For ages 5-9, four mechanisms were tied for the fifth ranking including Hot object/substance; Transport, Other; Other Spec & Classifiable; and Other Specified, NEC. Source: Children's Safety Network Economics and Data Analysis Resource Center (CSN EDARC), at Pacific Institute for Research and Evaluation (PIRE), Calverton, MD, April, 2015. Incidence based on 2012 New Mexico State Inpatient Databases (SID), Healthcare Cost and Utilization Project (HCUP), Agency for Healthcare Research and Quality (AHRQ). Counts exclude patients dead at the time of discharge, chronic/overuse injuries, and/or injuries treated at hospitals that do not meet the American Hospital Association's (AHA) criteria of a short-term community hospital. To prevent double-counting, readmission cases, transfers, and medical misadventures were excluded. All counts based on the patients' state of residence.

Data Source: New Mexico State Inpatient Databases, 2012, Healthcare Utilization Project, Agency for Healthcare Research and Quality.

Child Passenger Injuries, Age 0-14 New Mexico

Table 4a: Child Passenger Deaths and Hospitalizations

	Deaths ¹ (2009-2013)	Deaths ¹ per 100,000	Hospital Admissions ² (2012)	Hospital Admissions ² per 100,000	Total Hospital Days	Median Hospital Days
Age 0-4	34	0.63	18	12.73	45	2
Age 5-9	17	0.31	15	10.39	103	3
Age 10-14	24	0.42	17	11.95	59	3
Total Age 0-14	75	0.45	50	11.68	207	3

Table 4b: Restraint Use of Children Killed In Crashes¹

Not restrained, Age 0-4	58.8%
Not restrained, Age 5-9	64.7%
Not restrained, Age 10-14	83.3%
Not restrained, Age 0-14	68.0%

Table 4c: Who Is Driving When a Child Passenger Is Killed¹

Driver reported by police as alcohol-involved	22.7%
Driver reported by police as drug-involved	6.7%
Driver of other vehicle in crash reported alcohol-involved	5.3%
Driver reported using a cellphone	0.0%

Data Sources: Population counts from the U.S. Bureau of the Census. ¹ Fatal Analysis Reporting System, 2009-2013, National Highway Traffic Safety Administration. ² State Inpatient Databases, 2012, Healthcare Utilization Project, Agency for Healthcare Research and Quality.

* = Less than 10.

n/a = Not available.

Teen Occupant Injuries, Age 15-19 New Mexico

Table 5a: Teenage Motor Vehicle Occupant Deaths and Hospitalizations

	Deaths ¹ (2009-2013)	Deaths ¹ per 100,000	Hospital Admissions ² (2012)	Hospital Admissions ² per 100,000	Total Hospital Days	Median Hospital Days
Total Occupants	*	*	92	64.34	780	4
Vehicle	128	2.13	78	54.55	551	4
Motorcycle	*	*	14	9.79	229	3.5

Table 5b: Restraint and Helmet Use of Teen Occupants Killed in Crashes¹

Vehicle occupants not restrained	51.9%
Motorcycle riders not wearing a helmet, or wearing non-DOT-compliant helmet	2.3%

Table 5c: Alcohol Involvement in Crashes Where a Teen Occupant is Killed¹

Any driver reported by police as alcohol-involved	35.1%
Teen driver of teen killed reported by police as alcohol-involved	19.8%

Table 5d: Driver Cell Phone Use in Crashes Where a Teen Occupant is Killed¹

Drivers reported using a cellphone (2010-2013)	1.0%
------------------------------------------------	------

Data Sources: Population counts from the U.S. Bureau of the Census. ¹ Fatal Analysis Reporting System, 2009-2013, National Highway Traffic Safety Administration. ² State Inpatient Databases, 2012, Healthcare Utilization Project, Agency for Healthcare Research and Quality

* = Less than 10.

n/a = Not available

Suicide & Self-Harm, Age 10-19 New Mexico

Table 6a: Suicide Deaths and Self-Harm Hospitalizations Among 10 to 19 Year-Olds

	Deaths ¹ (2009-2013)	Deaths ¹ per 100,000	Hospital Admissions ² (2012)	Hospital Admissions ² per 100,000	Total Hospital Days	Median Hospital Days
Total	146	10.16	172	60.29	628	2
Cut/Pierce	*	*	21	7.36	114	2
Poisoning	*	*	131	45.92	351	2
Firearm	53	3.69	*	*	*	*

Data Sources: Population counts from the U.S. Bureau of the Census. ¹ Multiple Cause of Death File, 2009-2013, National Center for Health Statistics. ² State Inpatient Databases, 2012, Healthcare Utilization Project, Agency for Healthcare Research and Quality.

* = Less than 10.

n/a = Not available

Interpersonal Violence, Age 0-19 New Mexico

Table 7a: Homicide Deaths and Assault Hospitalizations Among 0 to 19 Year-Olds

	Deaths ¹ (2009-2013)	Deaths ¹ per 100,000	Hospital Admissions ² (2012)	Hospital Admissions ² per 100,000	Total Hospital Days	Median Hospital Days
Age 0-9	38	2.66	*	*	39	3
Age 10-19	71	4.94	55	19.28	202	2
Child Maltreatment, Age 0-3	*	*	n/a	n/a	n/a	n/a

Data Sources: Population counts from the U.S. Bureau of the Census. ¹ Multiple Cause of Death File, 2009-2013, National Center for Health Statistics. ² State Inpatient Databases, 2012, Healthcare Utilization Project, Agency for Healthcare Research and Quality.

* = Less than 10.

n/a = Not available

Falls & Struck by /Against Injuries, Age 0-19 New Mexico

Table 8: Fall and Struck By/Against Deaths and Hospitalizations Among 0 to 19 Year-Olds, with Sports/Recreation-Related and Furniture/Stair-Related Injuries Highlighted

	Deaths ¹ (2009-2013)	Deaths ¹ per 100,000	Hospital Admissions ² (2012)	Hospital Admissions ² per 100,000	Total Hospital Days	Median Hospital Days
Age 0-9, Total	*	*	169	59.14	335	1
Sports/Recreation			48	16.80	134	1
Furniture/Stairs			42	14.70	63	1
Age 10-19, Total	*	*	143	50.13	609	2
Sports/Recreation			40	14.02	128	2
Furniture/Stairs			*	*	55	4

Data Sources: Population counts from the U.S. Bureau of the Census. ¹ Multiple Cause of Death File, 2009-2013, National Center for Health Statistics. ² State Inpatient Databases, 2012, Healthcare Utilization Project, Agency for Healthcare Research and Quality.

* = Less than 10.

n/a = Not available

Drug Poisoning Among Youths Ages 15-24 New Mexico

Figure 2: MVT, Suicide and Drug Poisoning Fatality Rates Among Youths Aged 15 through 24, New Mexico, 2009-2013





Figure 3: Fatal Unintentional and Undetermined Drug Poisoning Rate Among Youths Aged 15 through 24, New Mexico and U.S., 2009-2013



Drug Poisoning Among Youths Ages 15-24 New Mexico

Figure 4: Percentage Distribution of Fatal Unintentional And Undetermined Drug Poisoning By Drug Type Among Youths Aged 15 through 24, New Mexico, 2009-2013]

